

# REHABILITATION OF HOPELESS TEETH

**POST & CORE:** The primary purpose of the post is to retain a core that can be used to retain definitive prosthesis.

**INDICATIONS:**

Teeth with <25% of remaining coronal tooth structure- **Rigid post**

Teeth with 25 – 50 % of remaining coronal tooth structure- **Non rigid post**

**REVERSE CAST POST TECHNIQUE:** Teeth where prosthetic crown is used as a template, when there is need for removal and exchange of cast intraradicular core.

**INDICATIONS:**

The fractured coronal tooth structure beneath the crown

**CASE REPORT 1**

**CC;** Dislodged prosthesis

in the left upper back tooth region

**HOPI;** Difficulty during mastication

**PDH;** FPD done before 4 years

**O/E;**

MISSING-24,

FRACTURED-25

RC TREATED-22,23


FPD -22 TO 25

**DIAGNOSIS;**

Dislodged prosthesis irt 22-25

**RX PLAN;**

Endodontic management of 25 followed by Reverse cast post & Reluting of the same prosthesis



**CASE REPORT 2**

**CC;** Dislodged prosthesis

**HOPI;** Difficulty during mastication

**PDH;** RCT done with prosthesis before 4 years

**O/E;**

FRACTURED-11,21

RC TREATED-11,21

FPD irt 11,21

**DIAGNOSIS;**

Dislodged prosthesis irt 11,21

**RX PLAN;**

Cast post (Reverse cast post) & Reluting of the same prosthesis

